



# SAFETY DATA SHEET EPIDAC 2W BASE (Non Lead)

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010, According to Regulation (EC) No 1907/2006, Annex II

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name EPIDAC 2W BASE (Non Lead)

Product number 0079W - Non Lead (incl. 0079-N (Non Slip) grades)

Internal identification 0079-W074 (White), -W327 (BS 00 A 05), -W328 (Tile Red), -W429 (Slate Grey), -W371 (BS

00 A 09), -W510 (Red), -W511 (Grey), -W512 (BS 282) & -W513 (BS 632).

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Paint.

1.3. Details of the supplier of the safety data sheet

Supplier Dacrylate Paints Ltd,

> Lime Street, Kirkby-in-Ashfield Nottingham NG17 8AL Tel: +44 (0) 1623-753845 Fax: +44 (0) 1623-757151

Contact person sales@dacrylate.co.uk

1.4. Emergency telephone number

National emergency telephone +44 (0) 1623 753845 08:30-17:00 MON-FRI

number

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

Classification

Physical hazards Not Classified

Health hazards Skin Corr. 1B - H314 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Muta. 1B - H340 Carc. 1B -

H350 Repr. 1B - H360

**Environmental hazards** Aquatic Chronic 3 - H412

Classification (67/548/EEC or Xi;R41. R43. R52/53.

1999/45/EC)

Human health Persons with a history of skin sensitization problems should not be employed in any process

in which this product is used.

**Environmental** This product may cause harm to the environment. See Section 12 Ecological Information.

**Physicochemical** See Section 7.2 Storage Class. See Section 5.2 Hazardous combustion products. See

Section 10: Stability and reactivity

## 2.2. Label elements

# EPIDAC 2W BASE (Non Lead)

### **Pictogram**







### Signal word

Danger

#### Hazard statements

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H340 May cause genetic defects.

H350 May cause cancer.

H360 May damage fertility or the unborn child. H412 Harmful to aquatic life with long lasting effects.

#### Precautionary statements

P261 Avoid breathing vapour/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308+P313 IF exposed or concerned: Get medical advice/attention.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P501 Dispose of contents/container in accordance with national regulations.

### **Contains**

NONYLPHENOL ETHOXYLATED POLY, 2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL,

POLYETHYLENEPOLYAMINES (NOS)

### Supplementary precautionary

statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe vapour/spray.

P264 Wash contaminated skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see medical advice on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

### SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

# EPIDAC 2W BASE (Non Lead)

POLYAMINOAMIDE 10-30%

CAS number: 4067-16-7 M factor (Chronic) = 1

Classification Classification (67/548/EEC or 1999/45/EC)

Skin Corr. 1A - H314 Xi;R38,R41. R43.

Eye Dam. 1 - H318 Skin Sens. 1 - H317 Aquatic Chronic 1 - H410

NONYLPHENOL ETHOXYLATED POLY

1-5%

CAS number: 9016-45-9

Classification Classification (67/548/EEC or 1999/45/EC)

Flam. Liq. 3 - H226 Xi;R36/38.

Skin Sens. 1B - H317 Muta. 1B - H340 Carc. 1B - H350 Repr. 1B - H360

Aquatic Chronic 3 - H412

2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL 1-5%

CAS number: 90-72-2 EC number: 202-013-9

Classification Classification (67/548/EEC or 1999/45/EC)

Flam. Liq. 3 - H226 Xn;R22 Xi;R36/38 Acute Tox. 4 - H302

Acute Tox. 4 - H312 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1B - H317 Aquatic Chronic 3 - H412

POLYETHYLENEPOLYAMINES (NOS) 1-5%

CAS number: —

M factor (Acute) = 10 M factor (Chronic) = 10

Classification Classification (67/548/EEC or 1999/45/EC)

Acute Tox. 4 - H302 C;R34 Xn;R21/22 R43 N;R50/53

Acute Tox. 4 - H312 Skin Corr. 1B - H314 Skin Sens. 1 - H317 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

# EPIDAC 2W BASE (Non Lead)

bis(2-DIMETHYLAMINOETHYL)(METHYL)AMINE

<1%

CAS number: 3030-47-5 EC number: 221-201-1

Classification Classification (67/548/EEC or 1999/45/EC)

Skin Corr. 1B - H314 T;R24 C;R34 Xn;R22

Acute Tox. 4 - H302 Acute Tox. 3 - H311

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

**General information** The severity of the symptoms described will vary depending on the concentration and the

length of exposure. Move affected person to fresh air and keep warm and at rest in a position

comfortable for breathing.

**Inhalation** Get medical attention. Place unconscious person on their side in the recovery position and

ensure breathing can take place. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention. Symptoms of lung oedema (shortness of breath) may develop up to 24 hours after exposure. Show this Safety Data

Sheet to the medical personnel.

**Ingestion** Remove affected person from source of contamination. Rinse mouth thoroughly with water.

Give plenty of water to drink. DO NOT induce vomiting. Get medical attention immediately.

Skin contact Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur

after washing. Use barrier creams to prevent skin contact. Remove contaminated clothing and

rinse skin thoroughly with water.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide

apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after

washing. Show this Safety Data Sheet to the medical personnel.

Protection of first aiders First aid personnel should wear appropriate protective equipment during any rescue. In case

of insufficient ventilation, wear suitable respiratory equipment.

## 4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

**Inhalation** Harmful if inhaled Vapours may cause headache, fatigue, dizziness and nausea.

Ingestion Harmful if swallowed. May cause chemical burns in mouth, oesophagus and stomach.

Skin contact Skin irritation. May cause sensitisation or allergic reactions in sensitive individuals.

**Eye contact** May cause severe eye irritation.

## 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor 
No specific recommendation given, but first aid may still be required in case of accidental

exposure, inhalation or ingestion of this chemical. If in doubt, GET MEDICAL ATTENTION PROMPTLY! In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

# SECTION 5: Firefighting measures

### 5.1. Extinguishing media

# EPIDAC 2W BASE (Non Lead)

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire. Extinguish with foam, carbon

dioxide or dry powder.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

### 5.2. Special hazards arising from the substance or mixture

Specific hazards The pressure in sealed containers can increase under the action of heat. The material will not

support combustion unless the water has evaporated.

Hazardous combustion

products

Ammonia or amines. Acrid smoke or fumes. Other pyrolysis products typical of burning an organic material. In case of fire, toxic gases (CO, CO2, NOx) may be formed. Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m3. In the event of a fire and/or explosion, do not breathe fumes.

### 5.3. Advice for firefighters

Protective actions during firefighting

Keep up-wind to avoid fumes. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. Containers close to fire should be removed or cooled with water. If risk of water pollution occurs, notify appropriate authorities. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken without appropriate training or involving any personal risk.

Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. Do not handle

broken packages without protective equipment. Provide adequate ventilation. If ventilation is inadequate, suitable respiratory protection must be worn. Wash thoroughly after dealing with a

spillage. No smoking, sparks, flames or other sources of ignition near spillage.

For non-emergency personnel Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate

ventilation. Wear suitable respirator when ventilation is inadequate. Put on appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel

from entering.

For emergency responders If specialised clothing is required to deal with the spillage, take note of any information in

Section 8 on suitable materials. See also the information in "For non-emergency personnel".

# 6.2. Environmental precautions

**Environmental precautions** Do not discharge into drains or watercourses or onto the ground.

### 6.3. Methods and material for containment and cleaning up

# EPIDAC 2W BASE (Non Lead)

### Methods for cleaning up

No smoking, sparks, flames or other sources of ignition near spillage. Absorb spillage with inert, damp, non-combustible material. Flush contaminated area with plenty of water. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. If involved in a fire, shut off flow if it can be done without risk. Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Small Spillages: Absorb small quantities with paper towels and evaporate in a safe place. Large Spillages: Absorb in vermiculite, dry sand or earth and place into containers. For waste disposal, see Section 13. The accumulation of contaminated rags and application cloths may result in spontaneous combustion. This is particularly important in the case of products containing a high level of drying oils such as teak oil, linseed oil etc. Good housekeeping standards and regular safe removal of waste materials will minimise the risks of spontaneous combustion and other fire hazards.

#### 6.4. Reference to other sections

Reference to other sections

Wear protective clothing as described in Section 8 of this safety data sheet. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see section 13.

## SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Usage precautions

No specific recommendations. Observe good housekeeping practices. Avoid contact with skin and eyes. Eliminate all sources of ignition. Keep away from heat, sparks and open flame. All handling should only take place in well-ventilated areas. Persons susceptible to allergic reactions should not handle this product.

Advice on general occupational hygiene

Do not eat, drink or smoke when using this product. Wash promptly with soap and water if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate hand lotion to prevent defatting and cracking of skin.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions

Protect from freezing and direct sunlight. Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store at temperatures between 5°C and 35°C (32 to 95°F). Containers which have been opened must be carefully resealed and kept upright to prevent leakage. Use appropriate containment to avoid environmental contamination. Avoid/separate from strong acids, alkalis, oxidising and reducing agents. Observe the label precautions. Containers which have been opened must be carefully resealed and kept upright to prevent leakage. See Section 7.2 Storage class.

### 7.3. Specific end use(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2. Restricted to professional users.

### SECTION 8: Exposure Controls/personal protection

### 8.1. Control parameters

Ingredient comments

WEL = Workplace Exposure Limits

## 8.2. Exposure controls

## Protective equipment







# EPIDAC 2W BASE (Non Lead)

**Note:** When spraying, the use of a suitable/approved respirator is advised.

Appropriate engineering

controls

No specific ventilation requirements noted, but forced ventilation may still be required if air

contamination exceeds acceptable level.

Personal protection Advice on personal protection is applicable for high exposure levels. Select proper personal

protection based on a risk assessment of the actual exposure scenario.

**Eye/face protection**The following protection should be worn: Chemical splash goggles. Eyewear complying with

an approved standard should be worn if a risk assessment indicates eye contact is possible.

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn if

a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves

should comply with European Standard EN374.

Other skin and body

protection

Wear appropriate clothing to prevent reasonably probable skin contact. Use barrier creams to

prevent skin contact.

Hygiene measures

Use engineering controls to reduce air contamination to permissible exposure level. Provide

eyewash station and safety shower. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Do not eat, drink or smoke when handling this product.

protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable

for its intended use and is 'CE'-marked.

**Environmental exposure** 

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to

reduce emissions to acceptable levels.

## **SECTION 9: Physical and Chemical Properties**

## 9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Varying.

Odour Mild (or faint).

Odour threshold Not determined.

**pH** Not determined.

Melting point Not determined.

Initial boiling point and range Not determined.

Flash point N/A°C CC (Closed cup).

Evaporation rate Not determined.

Evaporation factor Not determined.

Flammability (solid, gas) No specific test data are available.

Upper/lower flammability or

explosive limits

Not determined.

Other flammability No specific test data are available.

# EPIDAC 2W BASE (Non Lead)

Vapour pressure Not determined.

Vapour density Not determined.

Relative density approx. 1.20 @ 20°C

Bulk density Not determined.

Solubility(ies) Miscible with water.

Partition coefficient Not determined.

Auto-ignition temperature Not determined.

**Decomposition Temperature** Not determined.

Viscosity Not determined.

**Explosive properties** Not considered to be explosive.

Explosive under the influence

of a flame

Not considered to be explosive.

Oxidising properties

Does not meet the criteria for classification as oxidising.

9.2. Other information

Other information None.

### SECTION 10: Stability and reactivity

## 10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended. Further information

on correct storage: refer to Section 7.

### 10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

products

None under normal processing

### 10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition. Do not pressurise, cut, weld, braze, solder,

drill, grind or expose containers to conditions to heat or sources of ignition. Avoid extremes of temperature and direct sunlight. Protection against nuisance dust must be used when the

airborne concentration exceeds 10 mg/m3. Avoid freezing.

10.5. Incompatible materials

Materials to avoid Strong acids. Strong alkalis. Strong reducing agents. Strong oxidising agents.

# 10.6. Hazardous decomposition products

Hazardous decomposition

Thermal decomposition or combustion products may include the following substances:

Carbon monoxide (CO). Carbon dioxide (CO2). Oxides of nitrogen. Ammonia or amines. Acrid

smoke or fumes. In case of fire and/or explosion, do not breaths fumes.

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

**Toxicological effects** No information available.

Acute toxicity - oral

# EPIDAC 2W BASE (Non Lead)

**ATE oral (mg/kg)** 147,983.7217906

Acute toxicity - dermal

**ATE dermal (mg/kg)** 32,710.85612566

General information This product is unlikely to harm health, given normal and proper handling and hygienic

precautions. Prolonged and repeated contact with solvents over a long period may lead to

permanent health problems.

**Inhalation** Irritating to respiratory system.

Ingestion Harmful if swallowed. Irritating. May cause nausea, stomach pain and vomiting.

**Skin contact** Harmful in contact with skin. Repeated exposure may cause skin dryness and cracking. The

product contains a small amount of sensitising substance.

**Eye contact** Irritating to eyes.

Acute and chronic health

hazards

May cause sensitisation by skin contact.

Route of entry Inhalation Ingestion. Skin and/or eye contact

Additional Information: For further information, please refer to Sections 4 and 8 respectively.

Toxicological information on ingredients.

## 2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL

Acute toxicity - oral

Acute toxicity oral (LD50

2,000.0

mg/kg)

Species Rat

**ATE oral (mg/kg)** 2,000.0

Acute toxicity - dermal

Acute toxicity dermal (LD<sub>50</sub> 1,260.0

mg/kg)

Species Rabbit

ATE dermal (mg/kg) 1,260.0

Acute toxicity - inhalation

Acute toxicity inhalation

5,000.0

(LC50 vapours mg/l)

Species Rat

ATE inhalation (vapours

5,000.0

mg/l)

Serious eye damage/irritation

Serious eye

Harmful in contact with eyes and skin. Causes eye irritation

damage/irritation

Respiratory sensitisation

# EPIDAC 2W BASE (Non Lead)

**Respiratory sensitisation** Irritating to respiratory system.

Skin sensitisation

**Skin sensitisation** Irritating May cause sensitization by skin contact. May produce an allergic reaction.

Germ cell mutagenicity

**Genotoxicity - in vitro**No specific test data are available.

**Genotoxicity - in vivo** No specific test data are available.

Carcinogenicity

**Carcinogenicity** Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity -

fertility

No specific test data are available.

Reproductive toxicity -

development

No information available.

Specific target organ toxicity - single exposure

**STOT - single exposure** No specific test data are available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure No information available.

Aspiration hazard

**Aspiration hazard** No information available.

General information Prolonged and repeated contact with solvents over a long period may lead to

permanent health problems.

**Inhalation** Harmful by inhalation.

**Ingestion** Harmful if swallowed.

Skin contact Harmful in contact with skin. Once sensitized, a severe allergic reaction may occur

when subsequently exposed to very low levels.

**Eye contact** Harmful in contact with eyes.

Route of entry Inhalation Ingestion Oral Skin and/or eye contact

POLYETHYLENEPOLYAMINES (NOS)

Serious eye damage/irritation

Serious eye damage/irritation

No information available.

Respiratory sensitisation

Respiratory sensitisation No specific test data are available.

Skin sensitisation

**Skin sensitisation** No specific test data are available.

# EPIDAC 2W BASE (Non Lead)

Germ cell mutagenicity

**Genotoxicity - in vitro**No specific test data are available.

**Genotoxicity - in vivo** No specific test data are available.

Carcinogenicity

**Carcinogenicity** No specific test data are available.

Reproductive toxicity

Reproductive toxicity -

fertility

No specific test data are available.

Reproductive toxicity -

development

No information available.

Specific target organ toxicity - single exposure

**STOT - single exposure** No specific test data are available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure No specific test data are available.

Aspiration hazard

**Aspiration hazard** No information available.

General information Prolonged and repeated contact with solvents over a long period may lead to

permanent health problems.

**Inhalation** Harmful by inhalation.

**Ingestion** Harmful if swallowed.

Skin contact Harmful in contact with skin.

Eye contact Harmful in contact with eyes.

Route of entry Inhalation Ingestion Oral Skin and/or eye contact

### **SECTION 12: Ecological Information**

## 12.1. Toxicity

**Toxicity** This product contains substances which are harmful to aquatic organisms. Do not discharge

into drains, water courses or onto the ground.

### Ecological information on ingredients.

## **POLYAMINOAMIDE**

Chronic aquatic toxicity

M factor (Chronic) 1

## NONYLPHENOL ETHOXYLATED POLY

**Toxicity** This product contains substances which are harmful to aquatic organisms. Do not

discharge into drains, water courses or onto the ground. The data quoted refers to the Pitch, Coal Tar, High Temp. (CAS: 65996-32-2) component of the mixture.

# EPIDAC 2W BASE (Non Lead)

Acute toxicity - fish , LC50 96 hours 2.6 mg/lt (Rainbow Trout): ,

Acute toxicity - aquatic

invertebrates

, EC50 24 hours 1 mg/lt (Daphnia magna) : NOEC 21 days 1.57 mg/lt (Daphnia

magna),

Acute toxicity - aquatic

plants

, EC50 72 hours 2.2 mg/lt (Selenastrum capricornutun): ,

Acute toxicity - microorganisms

, NOEC 3 hours 157 mg/lt (Activated sludge): ,

Acute toxicity - terrestrial

No information available.

2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL

**Toxicity** This product contains substances which are harmful to aquatic organisms. Do not

discharge into drains, water courses or onto the ground.

Acute toxicity - fish , LC50 96 hours 420 mg/lt (Fish) - refers to amines : ,

Acute toxicity - aquatic

invertebrates

, EC50 48 hours 24.1 mg/lt (Daphnia) - refers to amines : ,

Acute toxicity - aquatic

plants

No information available.

Acute toxicity - microorganisms

, ErC50 72 hours 6.8 mg/lt (Algae) - refers to amines : NOEC 72 hours 0.5 mg/lt

(Algae) - refers to amines,

Acute toxicity - terrestrial

, Chronic EC10 2 hours static 46 mg/lt (Basteria): ,

POLYETHYLENEPOLYAMINES (NOS)

**Toxicity** This product contains substances which are harmful to aquatic organisms. Do not

discharge into drains, water courses or onto the ground.

Acute aquatic toxicity

**LE(C)**<sub>50</sub>  $0.1 < L(E)C50 \le 1 \ 0.01 < L(E)C50 \le 0.1$ 

M factor (Acute) 10

Acute toxicity - fish No information available

Acute toxicity - aquatic

invertebrates

No information available.

Acute toxicity - aquatic

plants

No information available.

Acute toxicity - microorganisms

No information available.

Acute toxicity - terrestrial

No information available.

Chronic aquatic toxicity

M factor (Chronic) 10

12.2. Persistence and degradability

# EPIDAC 2W BASE (Non Lead)

**Persistence and degradability** Solvent will evaporate, residue will not readily biodegrade. There are no data on the degradability of this product.

Ecological information on ingredients.

## NONYLPHENOL ETHOXYLATED POLY

Persistence and

degradability

The product is not biodegradable.

Stability (hydrolysis) No significant reaction in water.

**Biodegradation** Not readily biodegradable.

2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL

Persistence and

degradability

The product is not readily biodegradable.

**Biodegradation** Not readily biodegradable.

POLYETHYLENEPOLYAMINES (NOS)

Persistence and degradability

No data available.

**Biodegradation** No data available.

12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

Partition coefficient Not determined.

Ecological information on ingredients.

## NONYLPHENOL ETHOXYLATED POLY

Bioaccumulative potential The product is not bioaccumulating. Bioaccumulation is unlikely to be significant

because of the low water-solubility of this product.

2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL

Bioaccumulative potential No data available on bioaccumulation.

POLYETHYLENEPOLYAMINES (NOS)

Bioaccumulative potential No data available on bioaccumulation.

12.4. Mobility in soil

**Mobility** Mobile liquid, solvent will evaporate leaving a semi-solid mass.

Ecological information on ingredients.

NONYLPHENOL ETHOXYLATED POLY

Mobility The product is non-volatile. The product is insoluble in water. Not considered

mobile.

## **EPIDAC 2W BASE (Non Lead)**

# 2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL

Mobility No information available.

## POLYETHYLENEPOLYAMINES (NOS)

Mobility No information available.

#### 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

This product does not contain any substances classified as PBT or vPvB.

assessment

Ecological information on ingredients.

## NONYLPHENOL ETHOXYLATED POLY

Results of PBT and vPvB assessment

This substance is classified as PBT. This substance is classified as vPvB. See 3.2 Composition Comments.

## 2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL

Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

## POLYETHYLENEPOLYAMINES (NOS)

Results of PBT and vPvB No data available.

assessment

### 12.6. Other adverse effects

Other adverse effects

Not known.

Ecological information on ingredients.

### NONYLPHENOL ETHOXYLATED POLY

Other adverse effects None known.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

General information Dispose of waste to licensed waste disposal site in accordance with the requirements of the

> local Waste Disposal Authority. The generation of waste should be minimised or avoided wherever possible. The company encourages the recycle, recovery and reuse of materials,

wherever possible.

Disposal methods Avoid the spillage or runoff entering drains, sewers or watercourses. Residues and empty

> containers should be taken care of as hazardous waste according to local and national provisions. Absorb in vermiculite, dry sand or earth and place into containers. Dispose of waste via a licensed waste disposal contractor. Dispose of contents/container in accordance with local regulations. Waste product should not be discharged directly into drains or water courses without treatment, chemical precipitation/flocculation. Remove the clear supernatant and flush to a chemical sewer. The precipitate is not hazardous. Dispose at a permitted facility

in accordance with local and national regulations.

### SECTION 14: Transport information

3082

# EPIDAC 2W BASE (Non Lead)

**General** To avoid the risk of spillage, always store and transport in a secure, upright position. Ensure

that persons transporting the product know what to do in the event of an accident or spillage.

14.1. UN number

 UN No. (ADR/RID)
 3082

 UN No. (IMDG)
 3082

 UN No. (ICAO)
 3082

14.2. UN proper shipping name

Proper shipping name

(ADR/RID)

UN No. (ADN)

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Proper shipping name

(IMDG)

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

 $\textbf{Proper shipping name} \ \ \textbf{(ICAO)} \ \ \text{ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. } \\$ 

Proper shipping name (ADN) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

## 14.3. Transport hazard class(es)

ADR/RID class 9

ADR/RID classification code M6

ADR/RID label 9

IMDG class 9

ICAO class/division 9

ADN class 9

### Transport labels



### 14.4. Packing group

ADR/RID packing group

IMDG packing group III

ADN packing group

ICAO packing group

# 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



# 14.6. Special precautions for user

EmS F-A, S-F

ADR transport category 3

# EPIDAC 2W BASE (Non Lead)

Emergency Action Code •3Z

Hazard Identification Number 90

(ADR/RID)

Tunnel restriction code (E)

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

### SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations Petroleum (Consolidation) Act, as amended 1984 SI 1244.

Highly Flammable Liquid Regulations 1972. Rivers (Prevention of Pollution) Act 1961.

Control of Pollution (Special Waste) Regulations 1980 (as amended).

Control of Substances Hazardous to Health Regulations 2002 (as amended).

**EU legislation** Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Commission Regulation (EU) No 453/2010 of 20 May 2010.

**Guidance** Workplace Exposure Limits EH40.

Introduction to Local Exhaust Ventilation HS(G)37.

CHIP for everyone HSG228.

Approved Classification and Labelling Guide (Sixth edition) L131.

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

### **SECTION 16: Other information**

General information Recommended storage between 5°C and 35°C. Protect from direct sunlight. Product to be

used in industrial and/or professional applications.

Issued by BOD

Revision date 07/04/2015

Revision 0

SDS number 10435

# EPIDAC 2W BASE (Non Lead)

Risk phrases in full R21/22 Harmful in contact with skin and if swallowed.

R22 Harmful if swallowed. R24 Toxic in contact with skin.

R34 Causes burns.

R36/38 Irritating to eyes and skin.

R38 Irritating to skin.

R41 Risk of serious damage to eyes.

R43 May cause sensitisation by skin contact.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

Hazard statements in full H226 Flammable liquid and vapour.

H302 Harmful if swallowed.
H311 Toxic in contact with skin.
H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage. H319 Causes serious eye irritation. H340 May cause genetic defects.

H350 May cause cancer.

H360 May damage fertility or the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

The product should not be used for the purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions. As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.