



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH)

ACETONE

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifier**

> Product name: Acetone

Product code: BT9

Product description: Solvent for industrial use.

CAS No.: 67-64-1 EC No.: 200-662-2 Index No.: 606-001-00-8

01-2119471330-49-XXXX **REACH Registration no.:**

Relevant identified uses of the substance or mixture and uses advised against 1.2

Identified use(s): Cleaning solvent.

Uses advised against: Follow supplier's recommendations on correct use of the

product.

1.3 Details of the supplier of the safety data sheet

> Manufacturer/Supplier: S G Bailey Paints Limited

> > Unit 15A Griffin Mill London Road

Thrupp Stroud

Gloucestershire

GL5 2AZ

Telephone: +44 (0)1453 882237

E-mail: richard@baileypaints.co.uk

1.4 **Emergency telephone number**

> In case of emergency, call: +44 (0) 7774 460658 (UK number, 24 hours, 7 days)

Product code: BT9 Version: 1.0 Page 1 of 12 Date: 06/01/2017





Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH)

SECTION 2: Hazard Identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 (CLP)

Flammable Liquid 2; H225 Eye Irritant 2; H319 Specific Target Organ Toxicity Single Exposure 3; H336

2.2 Label elements according to Regulation (EC) No. 1272/2008 (CLP)

Hazard pictogram(s):



Signal Word: Danger

Hazard Statement(s): H225: Highly flammable liquid and vapour.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

Precautionary Statement(s): P210: Keep away from heat / sparks / open flames / hot

surfaces. No smoking.

P280: Wear protective gloves/protective clothing/eye

protection/face protection.

P304 + P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305 + P351 + P338: IF IN EYES: Rinse cautiously for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P370 + P378: In case of fire: Use for extinction: CO₂,

powder or water spray.

P403 + P233: Store in a well-ventilated place. Keep

container tightly closed.

P501: Dispose of contents/container to hazardous

waste.

Version: 1.0 Product code: BT9 Page 2 of 12
Date: 06/01/2017 Product name: Acetone





(EU): None

Contains: Not applicable.

2.3 Other hazards:

None

SECTION 3: Composition

3.1 Substances

CAS No.: 67-64-1 EC No.: 200-662-2 Index No.: 606 001-00-8

REACH Registration no.: 01-2119471330-49-XXXX

SECTION 4: First Aid Measures

4.1 **Description of first aid measures**

INHALATION: Remove victim to fresh air and keep at rest in a position

comfortable for breathing. If experiencing respiratory

symptoms, seek medical advice.

SKIN CONTACT: Remove contaminated clothing immediately. Rinse skin

with water or shower and wash with soap and water.

EYE CONTACT: Rinse cautiously with water for several minutes.

Remove contact lenses if present and easy to do.

Continue rinsing. Seek medical advice.

INGESTION: Clean mouth with water. Drink plenty of water. Do NOT

induce vomiting. Obtain immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Serious eye irritation, headaches, nausea. May cause drowsiness or dizziness.

Product code: BT9 Version: 1.0 Page 3 of 12 Date: 06/01/2017





4.3 Indication of any immediate medical attention and special treatments needed

Treat symptomatically.

SECTION 5: Fire-fighting Measures

5.1 **Extinguishing Media**

Suitable extinguishing media: Water spray, CO₂ or dry powder.

Unsuitable extinguishing media: Do not use water jet.

5.2 Special hazards arising from the substance or mixture

Vapours may travel along the ground to a distant ignition source and flash back, causing fire or explosion. Containers may rupture on heating. Toxic gases may be formed in a fire

5.3 Advice for fire-fighters

FLAMMABLE. Evacuate area. Prevent run-off from fire control or dilution from entering drains or water courses. Self-contained breathing apparatus and suitable protective clothing must be worn in fire conditions. Keep fire-exposed containers cool by spraying with water. Do not allow to enter drains, sewers or watercourses.

Flash point: <-18°C.

SECTION 6: Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

Eliminate sources of ignition. Ensure adequate ventilation. Avoid contact with skin and eyes. Avoid inhalation of vapours. Wear suitable personal and respiratory protective equipment. (see Section 8). Contaminated clothing should be thoroughly cleaned.

6.1.2 For emergency responders

Keep unnecessary personnel away. Wear suitable personal and respiratory protective equipment (see Section 8). Contaminated clothing should be thoroughly cleaned.

Product code: BT9 Version: 1.0 Page 4 of 12 Date: 06/01/2017





6.2 **Environmental precautions**

Collect spillage. Do not allow to enter drains, sewers or watercourses. Spillages or uncontrolled discharges into watercourses must be alerted to the Environment Agency or other appropriate regulatory body.

6.3 Methods and materials for containment and clearing up

6.3.1 For containment

Stop the leak if it is safe to do so. Contain the spillage with sand, earth or any suitable adsorbent material.

6.3.2 For cleaning up

Use sand, earth or any suitable non-combustible adsorbent material to adsorb spillages. Using non-sparking tools transfer the contaminated absorbent material into sealable containers for disposal. Containers should be sealed before being disposed of via an authorised waste disposal contractor.

6.3.3 Other advice

Wear suitable personal and respiratory protective equipment (see Section 8).

6.4 Reference to other sections

See Section 8 for personal protective equipment. See Section 13 for waste disposal.

SECTION 7: Handling and Storage

7.1 Precautions for safe handling

Provide adequate ventilation, including local extraction to ensure the occupational exposure limit is not exceeded. Do not inhale vapours. Avoid contact with skin and eyes. Wear suitable personal and respiratory protective equipment (see Section 8). Eliminate all sources of ignition. Electrical equipment should be protected to the appropriate standard.

Do not eat, drink or smoke when using this product. Wash exposed skin after use. Contaminated work clothing should not be allowed out of the workplace. Contaminated clothing should be thoroughly cleaned or disposed of as hazardous waste.

Product code: BT9 Version: 1.0 Page 5 of 12 Date: 06/01/2017





7.2 Conditions for safe storage, including any incompatibilities

Keep away from heat and sources of ignition. Keep from direct sunlight. Store locked up. Store only in the original container. Do not pressurise container. Product may charge electrostatically so all containers and associated equipment should be earthed and bonded to prevent static charge accumulation. Store in a cool, well ventilated place. Empty containers retain product residue and can be hazardous.

Ensure compliance with all regulations and guidance associated with the storage and use of flammable liquids.

See section 10 for incompatible materials.

7.3 Specific end uses(s)

Industrial solvent for use as a cleaner and thinner.

SECTION 8: Exposure Controls/Personal Protection

8.1 Control parameters

Workplace exposure limits (WEL) - United Kingdom

Source: EH40/2005, 2nd Ed., 2011

Substance	CAS no.	LTEL (8 hr TWA)		STEL (15 min)	
		ppm	mg/m³	ppm	mg/m³
Acetone	67-64-1	500	1210	1500	3620

Other exposure limits

Consult applicable national legislation for WELs in other countries.

Biological limits

None assigned.

Derived No-Effect Level (DNEL)

Not available.

Predicted No-Effect Concentration (PNEC)

Not available.

Product code: BT9 Version: 1.0 Page 6 of 12 Date: 06/01/2017





8.2 Exposure controls

8.2.1 Appropriate engineering controls

Provide adequate ventilation, including appropriate local extraction. Electrical equipment should be protected to the appropriate standard.

8.2.2 Personal protection: A suitable and sufficient COSHH assessment must be

undertaken and appropriate and compliant personal

protective equipment (PPE) provided and used.

Eye protection: Goggles or glasses giving complete protection to eyes

(EN 166) or face shield.

Skin protection: Appropriate barrier creams.

Hand protection: Chemical resistant gloves. (EN 374). Recommended:

Protective index 4 or higher for prolonged exposure.

Other: Long sleeve protective clothing. Plastic apron. Rubber

boots.

Respiratory protection: If natural ventilation is inadequate, wear a respirator

with filter type AX.

8.2.3 Environmental exposure controls

Inform environmental manager of all incidents involving this product.

SECTION 9: Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Colourless liquid
Odour: Characteristic
Odour threshold: Not available
pH: Not available

Melting/freezing point: - 95°C

Boiling point: 56°C

Flash point: <-18°C

Evaporation rate: Not available Flammability (solid; gas): Not applicable

Upper/lower flammability or explosive limits: 2 vol. % to 13 vol. %

Version: 1.0 Product code: BT9 Page 7 of 12
Date: 06/01/2017 Product name: Acetone





Vapour pressure: 233 hPa @ 20°C

Vapour density: Not available

Density: 0.79 g/cm³ @ 20°C

Solubility: Fully miscible with water

Partition coefficient: n-octanol/water: Not available

Auto-ignition temperature: 465°C

Decomposition temperature:Not applicable

Viscosity:
32 mPas @ 25°C

Explosive properties: Liquid is not explosive. However, formation of explosive

vapour/air mixtures are possible.

Oxidising properties: Not oxidising

9.2 Other information

None

SECTION 10: Stability and Reactivity

10.1 Reactivity No hazardous reactions known.

10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions No hazardous reactions expected during normal use.

10.4 Conditions to avoid Keep away from sources of ignition, hot surfaces, direct

sunlight and other sources of ignition.

10.5 Incompatible materials None known.

10.6 Hazardous decomposition products Combustion may liberate toxic smoke, fumes,

incomplete combustion products, oxides of carbon.

SECTION 11: Toxicological Information

11.1 Information on toxicological effects

Acute toxicity Oral LD50: 5800 mg/kg (rat)

Dermal LD50: 20000 mg/kg (rabbit)

Skin corrosion/irritationMay be mildly irritating to skin.

Version: 1.0 Product code: BT9 Page 8 of 12
Date: 06/01/2017 Product name: Acetone





Serious eye damage/irritationCauses serious eye irritation.

Skin sensitisation Not sensitising.

Respiratory irritation Vapour may slightly irritate the nose, throat and lungs.

Respiratory sensitisation Not a respiratory sensitiser.

Germ cell mutagenicity Not mutagenic.

Carcinogenicity Not carcinogenic.

Reproductive toxicityNot a reproductive toxin.

Specific Target Organ Toxicity – single

exposure

Inhalation of high concentrations of vapour may cause respiratory tract irritation and drowsiness or dizziness.

Specific Target Organ Toxicity –

repeated exposure

Not classified.

Aspiration hazard Not classified.

Information on likely routes of exposure

Inhalation See above

Skin contact See above

Eye contact See above

Ingestion See above

Symptoms related to the physical, chemical

and toxicological characteristics See

See above

Other information None

SECTION 12: Ecological Information

12.1 Toxicity Low environmental toxicity.

12.2 Persistence and degradability Not available.

12.3 Bioaccumulative potential Not available.

12.4 Mobility in soil Not available.

Version: 1.0 Product code: BT9 Page 9 of 12
Date: 06/01/2017 Product name: Acetone





- **12.5** Results of PBT and vPvB assessment Not classified as PBT/vPvB by current EU criteria.
- **12.6** Other adverse effects Not available.

SECTION 13: Disposal Considerations

13.1 Waste treatment methods

Product and packaging to be disposed of as hazardous waste. Disposal should be in accordance with local, state or national legislation.

Contaminated adsorbent must be removed in sealed, drums and disposed of via an authorised waste disposal contractor. Do not empty into drains; dispose of this material and its container in a safe way.

Empty containers may contain residue and may be dangerous. Do not attempt to refill or clean containers without proper instructions. Do not pressurise, cut, weld, braze, solder, drill, grind or expose such containers to heat, flame, sparks, static electricity or other sources of ignition. Residual flammable vapour may cause an explosion.

SECTION 14: Transport Information

ROAD (ADR)

14.1	UN Number	1090
14.2	UN Proper shipping name	ACETONE
14.3	Transport hazard class(es)	3
14.4	Packing group	II
14.5	Environmental hazards	No

INLAND WATERWAYS (ADN/ADNR)

14.1	UN Number	1090
14.2	UN Proper shipping name	ACETONE
14.3	Transport hazard class(es)	3
14.4	Packing group	II
14.5	Environmental hazards	No

Version: 1.0 Product code: BT9 Page 10 of 12
Date: 06/01/2017 Product name: Acetone





RAIL (RID)

141	UN Number	1090

ACETONE 14.2 UN Proper shipping name

14.3 Transport hazard class(es) 3 14.4 Packing group Ш

14.5 Nο **Environmental hazards**

AIR (IATA/ICAO)

14.1 **UN Number** 1090

14.2 UN Proper shipping name **ACETONE**

14.3 Transport hazard class(es) 3 14.4 Packing group Ш 14.5 **Environmental hazards** No

SEA (IMDG)

14.1 UN Number 1090

14.2 UN Proper shipping name **ACETONE**

3 14.3 Transport hazard class(es) 14.4 Packing group Ш 14.5 Environmental hazards Nο

14.6 Transport in bulk according to Annex II

of MARPOL 73/78 and the IBC code Not intended to be transported in bulk

SECTION 15: Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This Safety Data Sheet was prepared in accordance with EC Regulation (EC) No. 1907/2006 as amended. The product has been classified in accordance with Regulation (EC) No. 1272/2008 (CLP).

15.2 Chemical Safety Assessment Not applicable.

Product code: BT9 Version: 1.0 Page 11 of 12 Date: 06/01/2017





SECTION 16: Other Information

Full text of relevant H-statements: H225: Highly flammable liquid and vapour.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

References:

Supplier's Safety Data Sheet Regulation (EC) No. 1272/2008 EH40/2005, 2nd Ed., 2011

Disclaimer:

THE INFORMATION PRESENTED HEREIN IS BELIEVED TO BE ACCURATE, BUT IS NOT WARRANTED TO BE, WHETHER ORIGINATING WITH THE COMPANY OR NOT. RECIPIENTS ARE ADVISED TO CONFIRM, IN ADVANCE OF NEED, THAT THE INFORMATION IS CURRENT, APPLICABLE, AND SUITABLE TO THEIR CIRCUMSTANCES.

Version history:

Version: 1.0

Issue date: 06/01/2017
Previous Version: New SDS

Issue date of previous version:Not applicableSections changed from previous version:Not applicable

Version: 1.0 Product code: BT9 Page 12 of 12
Date: 06/01/2017 Product name: Acetone